



## Accredited Laboratory

A2LA has accredited

# MICROBAC LABORATORIES, INC., BALTIMORE DIVISION

*Baltimore, MD*

for technical competence in the field of

## Biological Testing

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 *General requirements for the competence of testing and calibration laboratories*. This laboratory also meets the requirements of A2LA R204 – *Specific Requirements – Food and Pharmaceutical Testing Laboratory Accreditation Program*. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).



Presented this 27<sup>th</sup> day of March 2023.

A blue ink signature of Mr. Trace McInturff.

Mr. Trace McInturff, Vice President, Accreditation Services  
For the Accreditation Council  
Certificate Number 410.02  
Valid to April 30, 2025

*For the tests to which this accreditation applies, please refer to the laboratory's Biological Scope of Accreditation.*



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

MICROBAC LABORATORIES, INC., BALTIMORE DIVISION  
2101 Van Deman Street  
Holabird Business Park  
Baltimore, MD 21224-6697  
Daniel Barrett Phone: (410) 633-1800  
Email: [daniel.barrett@microbac.com](mailto:daniel.barrett@microbac.com)

BIOLOGICAL

Valid To: April 30, 2025

Certificate Number: 0410.02

In recognition of the successful completion of the A2LA evaluation process (including an assessment of the laboratory's compliance with the A2LA Food Testing Program Requirements, containing the 2018 "AOAC *International Guidelines for Laboratories Performing Microbiological and Chemical Analyses of Food, Dietary Supplements and Pharmaceuticals*"), accreditation is granted to this laboratory to perform the following tests on food, dairy, water, meat & meat products, environmental and human and animal serological and tissue samples:

<u>Test</u>	<u>Test Method(s)</u>
Aerobic Plate Count	FDA BAM Online Ch. 3
Aerobic Plate Count (Petrifilm)	AOAC 990.12, 986.33, 989.10
Coliform / <i>Escherichia coli</i> (Petrifilm)	AOAC 991.14, 998.08
Coliform / <i>E. coli</i> (MPN)	FDA BAM Online Ch. 4
Coliforms in Ice Cream and Dairy (Petrifilm)	AOAC 989.10
<i>E. coli</i> O157:H7 (3M MDA-2)	AOAC 2017.01
<i>E. coli</i> O157 (Bio-Rad IQ-Check)	AOAC PTM #020801
Enterobacteriaceae (Petrifilm)	AOAC 2003.01
Lactic Acid Bacteria (Petrifilm)	AOAC PTM 041701
<i>Listeria</i> Confirmation	FDA BAM Ch. 10
<i>Listeria monocytogenes</i> (3M MDA-2)	AOAC 2016.08
<i>Listeria monocytogenes</i> (Bio-Rad IQ-Check)	AOAC PTM #010802
<i>Listeria</i> sp. (3M MDA-2)	AOAC 2016.07
<i>Listeria</i> spp. (Bio-Rad IQ-Check)	AOAC PTM #090701
Rapid Yeast and Mold (Petrifilm)	AOAC 2014.05 Modified
<i>Salmonella</i> spp. (3M MDA-2)	AOAC 2016.01

<b><u>Test</u></b>	<b><u>Test Method(s)</u></b>
<i>Salmonella</i> (Bio-Rad IQ Check)	AOAC OMA 2017.06
<i>Salmonella</i> Confirmation	FDA BAM Ch. 5
<i>Staphylococcus aureus</i> (PetriFilm)	AOAC 2003.07, 2003.08, 2003.11
STEC (3M MDS)	AOAC PTM #071902
STEC (Bio-Rad IQ-Check)	AOAC PTM #121203
Yeast and Mold	FDA BAM Online Ch. 18
Yeast and Mold (PetriFilm)	AOAC 997.02

