

**NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM**

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

**PRIMARY ACCREDITATION ANALYTE LIST**

**ANALYTE LIST NUMBER: 224325-A**



**MICROBAC LABORATORIES INC (CT) #2243**  
**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**  
**860-774-6814**  
**Lab ID: 2243**



Analyte Code	Analyte Name	Effective Date	Expiration Date	Matrix	Category	Accr. Type
<b>Method Code: 20179811</b>	<b>Method Ref: SM 9215 B</b>		<b>Revision: 22ND ED</b>		<b>Date: 2004</b>	
2555	HETEROTROPHIC PLATE COUNT	01/17/2022	01/16/2027	D	MIC	NE
<b>Method Code: 20211614</b>	<b>Method Ref: SM 9223 B (COLILERT QUANTI-TRAY)-2004</b>		<b>Revision:</b>		<b>Date: 2004</b>	
2525	ESCHERICHIA COLI	01/17/2022	01/16/2027	D	MIC	NE
<b>Method Code: 20212628</b>	<b>Method Ref: SM 9223 B (COLILERT)-2004</b>		<b>Revision:</b>		<b>Date: 2004</b>	
2525	ESCHERICHIA COLI	01/17/2022	01/16/2027	D	MIC	NE
2500	TOTAL COLIFORMS	01/17/2022	01/16/2027	D	MIC	NE
<b>Method Code: 60030208</b>	<b>Method Ref: ENTEROLERT</b>		<b>Revision:</b>		<b>Date: 1996</b>	
2520	ENTEROCOCCI	01/17/2022	01/16/2027	D	MIC	NE
<b>Method Code: 10013806</b>	<b>Method Ref: EPA 200.7</b>		<b>Revision: 4.4</b>		<b>Date: 1994</b>	
1015	BARIUM	01/17/2022	01/16/2027	D	MET	NE
1020	BERYLLIUM	01/17/2022	01/16/2027	D	MET	NE
1025	BORON	01/17/2022	01/16/2027	D	MET	NE
1030	CADMIUM	01/17/2022	01/16/2027	D	MET	NE
1035	CALCIUM	01/17/2022	01/16/2027	D	MET	NE
1040	CHROMIUM	01/17/2022	01/16/2027	D	MET	NE
1055	COPPER	01/17/2022	01/16/2027	D	MET	NE
1070	IRON	01/17/2022	01/16/2027	D	MET	NE
1085	MAGNESIUM	01/17/2022	01/16/2027	D	MET	NE
1090	MANGANESE	01/17/2022	01/16/2027	D	MET	NE
1105	NICKEL	01/17/2022	01/16/2027	D	MET	NE
1125	POTASSIUM	01/17/2022	01/16/2027	D	MET	NE
1150	SILVER	01/17/2022	01/16/2027	D	MET	NE
1155	SODIUM	01/17/2022	01/16/2027	D	MET	NE
1190	ZINC	01/17/2022	01/16/2027	D	MET	NE
<b>Method Code: 10014605</b>	<b>Method Ref: EPA 200.8</b>		<b>Revision: 5.4</b>		<b>Date: 1994</b>	
1000	ALUMINUM	01/17/2022	01/16/2027	D	MET	NE
1005	ANTIMONY	01/17/2022	01/16/2027	D	MET	NE
1010	ARSENIC	01/17/2022	01/16/2027	D	MET	NE
1015	BARIUM	01/17/2022	01/16/2027	D	MET	NE
1020	BERYLLIUM	01/17/2022	01/16/2027	D	MET	NE
1030	CADMIUM	01/17/2022	01/16/2027	D	MET	NE
1040	CHROMIUM	01/17/2022	01/16/2027	D	MET	NE
1055	COPPER	01/17/2022	01/16/2027	D	MET	NE
1075	LEAD	01/17/2022	01/16/2027	D	MET	NE


This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

# NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

## PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 224324-D



**MICROBAC LABORATORIES INC (CT) #2243**

**61 LOUISA VIENS DR**

**DAYVILLE CT 06241  
860-774-6814**

**Lab ID: 2243**



1090	MANGANESE	01/17/2022	01/16/2027	D	MET	NE
1100	MOLYBDENUM	01/17/2022	01/16/2027	D	MET	NE
1105	NICKEL	01/17/2022	01/16/2027	D	MET	NE
1140	SELENIUM	01/17/2022	01/16/2027	D	MET	NE
1150	SILVER	01/17/2022	01/16/2027	D	MET	NE
1165	THALLIUM	01/17/2022	01/16/2027	D	MET	NE
1184	URANIUM (MASS)	01/17/2022	01/16/2027	D	MET	NE
1185	VANADIUM	01/17/2022	01/16/2027	D	MET	NE
1190	ZINC	01/17/2022	01/16/2027	D	MET	NE
<b>Method Code: 10036609 Method Ref: EPA 245.1</b>			<b>Revision: 3</b>		<b>Date: 1994</b>	
1095	MERCURY	01/17/2022	01/16/2027	D	MET	NE
<b>Method Code: 10013806 Method Ref: EPA 200.7</b>			<b>Revision: 4.4</b>		<b>Date: 1994</b>	
1550	CALCIUM HARDNESS AS CaCO <sub>3</sub>	01/17/2022	01/16/2027	D	NMI	NE
<b>Method Code: 10061402 Method Ref: EPA 335.4</b>			<b>Revision: 1.0</b>		<b>Date: 1993</b>	
1645	TOTAL CYANIDE	07/19/2022	01/16/2027	D	NMI	NE
<b>Method Code: 10070005 Method Ref: EPA 365.1</b>			<b>Revision: 2</b>		<b>Date: 1993</b>	
1870	ORTHOPHOSPHATE AS P	01/17/2022	01/16/2027	D	NMI	NE
<b>Method Code: 20039003 Method Ref: SM 2120 B</b>			<b>Revision: 21st ED</b>		<b>Date: 2001</b>	
1605	COLOR	07/19/2022	01/16/2027	D	NMI	NE
<b>Method Code: 20042608 Method Ref: SM 2130 B</b>			<b>Revision: 21st ED</b>		<b>Date: 2001</b>	
2055	TURBIDITY	07/19/2022	01/16/2027	D	NMI	NE
<b>Method Code: 20045403 Method Ref: SM 2320 B</b>			<b>Revision: 21st ED</b>		<b>Date: 1997</b>	
1505	ALKALINITY AS CaCO <sub>3</sub>	07/19/2022	01/16/2027	D	NMI	NE
<b>Method Code: 20048402 Method Ref: SM 2510 B</b>			<b>Revision: 21st ED</b>		<b>Date: 1997</b>	
1610	CONDUCTIVITY	07/19/2022	01/16/2027	D	NMI	NE
<b>Method Code: 20050208 Method Ref: SM 2540 C</b>			<b>Revision: 21st ED</b>		<b>Date: 1997</b>	
1955	RESIDUE-FILTERABLE (TDS)	07/19/2022	01/16/2027	D	NMI	NE
<b>Method Code: 20086606 Method Ref: SM 4500-CL<sup>-</sup> E</b>			<b>Revision: 21st ED</b>		<b>Date: 1997</b>	
1575	CHLORIDE	07/19/2022	01/16/2027	D	NMI	NE
<b>Method Code: 20102209 Method Ref: SM 4500-F C</b>			<b>Revision: 21st ED</b>		<b>Date: 1997</b>	
1730	FLUORIDE	07/19/2022	01/16/2027	D	NMI	NE
<b>Method Code: 20116409 Method Ref: SM 4500-NO<sub>3</sub> F</b>			<b>Revision: 21st ED</b>		<b>Date: 2000</b>	
1810	NITRATE AS N	07/19/2022	01/16/2027	D	NMI	NE
1840	NITRITE AS N	07/19/2022	01/16/2027	D	NMI	NE
<b>Method Code: 20127600 Method Ref: SM 4500-SI E</b>			<b>Revision: 19th ED</b>		<b>Date: 1995</b>	
1990	SILICA AS SiO <sub>2</sub>	07/19/2022	01/16/2027	D	NMI	NE
<b>Method Code: 20132825 Method Ref: SM 4500-SO<sub>4</sub> E</b>			<b>Revision: 21ST ED</b>		<b>Date: 1997</b>	
2000	SULFATE	07/19/2022	01/16/2027	D	NMI	NE


This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

# NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

## PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 224324-D



**MICROBAC LABORATORIES INC (CT) #2243**

**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**

**860-774-6814**

**Lab ID: 2243**



Method Code:	Method Ref:	Revision:	Date:
2040	TOTAL ORGANIC CARBON (TOC)	01/16/2027	2000
		11/07/2024	NMI NE
<b>Method Code: 10082801</b>	<b>Method Ref: EPA 504.1</b>	<b>Revision: 1.1</b>	<b>Date: 1995</b>
4570	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	01/16/2027	VOC NE
4585	1,2-DIBROMOETHANE (EDB, ETHYLENE DIBROMIDE)	01/16/2027	VOC NE
<b>Method Code: 10088570</b>	<b>Method Ref: EPA 522</b>	<b>Revision: 1</b>	<b>Date: 2008</b>
4735	1,4-DIOXANE (1 4-DIETHYLENEOXIDE)	01/16/2027	VOC NE
<b>Method Code: 10088809</b>	<b>Method Ref: EPA 524.2</b>	<b>Revision: 4.1</b>	<b>Date: 1995</b>
5105	1,1,1,2-TETRACHLOROETHANE	01/16/2027	VOC NE
5160	1,1,1-TRICHLOROETHANE	01/16/2027	VOC NE
5110	1,1,2,2-TETRACHLOROETHANE	01/16/2027	VOC NE
5165	1,1,2-TRICHLOROETHANE	01/16/2027	VOC NE
4630	1,1-DICHLOROETHANE	01/16/2027	VOC NE
4640	1,1-DICHLOROETHYLENE	01/16/2027	VOC NE
4670	1,1-DICHLOROPROPENE	01/16/2027	VOC NE
5150	1,2,3-TRICHLOROBENZENE	01/16/2027	VOC NE
5180	1,2,3-TRICHLOROPROPANE	01/16/2027	VOC NE
5155	1,2,4-TRICHLOROBENZENE	01/16/2027	VOC NE
5210	1,2,4-TRIMETHYLBENZENE	01/16/2027	VOC NE
4610	1,2-DICHLOROBENZENE (O-DICHLOROBENZENE)	01/16/2027	VOC NE
4635	1,2-DICHLOROETHANE (ETHYLENE DICHLORIDE)	01/16/2027	VOC NE
4655	1,2-DICHLOROPROPANE	01/16/2027	VOC NE
5215	1,3,5-TRIMETHYLBENZENE	01/16/2027	VOC NE
4615	1,3-DICHLOROBENZENE (M-DICHLOROBENZNE)	01/16/2027	VOC NE
4660	1,3-DICHLOROPROPANE	01/16/2027	VOC NE
4620	1,4-DICHLOROBENZENE (P-DICHLOROBENZENE)	01/16/2027	VOC NE
4665	2 2-DICHLOROPROPANE	01/16/2027	VOC NE
4535	2-CHLOROTOLUENE	01/16/2027	VOC NE
4540	4-CHLOROTOLUENE	01/16/2027	VOC NE
4910	4-ISOPROPYLTOLUENE (P-CYMENE)	01/16/2027	VOC NE
4375	BENZENE	01/16/2027	VOC NE
4385	BROMOBENZENE	01/16/2027	VOC NE
4390	BROMOCHLOROMETHANE	01/16/2027	VOC NE
4395	BROMODICHLOROMETHANE	01/16/2027	VOC NE
4400	BROMOFORM	01/16/2027	VOC NE
4455	CARBON TETRACHLORIDE	01/16/2027	VOC NE
4475	CHLOROBENZENE	01/16/2027	VOC NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

**NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM**

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

**PRIMARY ACCREDITATION ANALYTE LIST**

**ANALYTE LIST NUMBER: 224324-D**



**MICROBAC LABORATORIES INC (CT) #2243**  
**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**  
**860-774-6814**

**Lab ID: 2243**



4575	CHLORODIBROMOMETHANE	01/17/2022	01/16/2027	D	VOC	NE
4485	CHLOROETHANE (ETHYL CHLORIDE)	01/17/2022	01/16/2027	D	VOC	NE
4505	CHLOROFORM	01/17/2022	01/16/2027	D	VOC	NE
4645	CIS-1,2-DICHLOROETHYLENE	01/17/2022	01/16/2027	D	VOC	NE
4680	CIS-1,3-DICHLOROPROPENE	01/17/2022	01/16/2027	D	VOC	NE
4595	DIBROMOMETHANE (METHYLENE BROMIDE)	01/17/2022	01/16/2027	D	VOC	NE
4625	DICHLORODIFLUOROMETHANE (FREON-12)	01/17/2022	01/16/2027	D	VOC	NE
4765	ETHYLBENZENE	01/17/2022	01/16/2027	D	VOC	NE
4835	HEXACHLOROBUTADIENE	01/17/2022	01/16/2027	D	VOC	NE
4900	ISOPROPYLBENZENE	01/17/2022	01/16/2027	D	VOC	NE
4950	METHYL BROMIDE (BROMOMETHANE)	01/17/2022	01/16/2027	D	VOC	NE
4960	METHYL CHLORIDE (CHLOROMETHANE)	01/17/2022	01/16/2027	D	VOC	NE
5000	METHYL TERT-BUTYL ETHER (MTBE)	01/17/2022	01/16/2027	D	VOC	NE
4975	METHYLENE CHLORIDE (DICHLOROMETHANE)	01/17/2022	01/16/2027	D	VOC	NE
4435	N-BUTYLBENZENE	01/17/2022	01/16/2027	D	VOC	NE
5090	N-PROPYLBENZENE	01/17/2022	01/16/2027	D	VOC	NE
5005	NAPHTHALENE	01/17/2022	01/16/2027	D	VOC	NE
4440	SEC-BUTYLBENZENE	01/17/2022	01/16/2027	D	VOC	NE
5100	STYRENE	01/17/2022	01/16/2027	D	VOC	NE
4445	TERT-BUTYLBENZENE	01/17/2022	01/16/2027	D	VOC	NE
5115	TETRACHLOROETHYLENE (PERCHLOROETHYLENE)	01/17/2022	01/16/2027	D	VOC	NE
5140	TOLUENE	01/17/2022	01/16/2027	D	VOC	NE
5205	TOTAL TRIHALOMETHANES (TTHMS)	01/17/2022	01/16/2027	D	VOC	NE
4700	TRANS-1,2-DICHLOROETHYLENE	01/17/2022	01/16/2027	D	VOC	NE
4685	TRANS-1,3-DICHLOROPROPYLENE	01/17/2022	01/16/2027	D	VOC	NE
5170	TRICHLOROETHENE (TRICHLOROETHYLENE)	01/17/2022	01/16/2027	D	VOC	NE
5175	TRICHLOROFLUOROMETHANE (FLUOROTRICHLOROMETHANE, FREON 11)	01/17/2022	01/16/2027	D	VOC	NE
5235	VINYL CHLORIDE (CHLOROETHENE)	01/17/2022	01/16/2027	D	VOC	NE
5260	XYLENE (TOTAL)	01/17/2022	01/16/2027	D	VOC	NE
<b>Method Code: 10083406 Method Ref: EPA 505</b>			<b>Revision: 2.1</b>		<b>Date: 1995</b>	
6275	HEXACHLOROBENZENE	01/17/2022	01/16/2027	D	SBN	NE
<b>Method Code: 10088401 Method Ref: EPA 515.3</b>			<b>Revision: 1</b>		<b>Date: 1996</b>	
6605	PENTACHLOROPHENOL	01/17/2022	01/16/2027	D	SBN	NE
<b>Method Code: 10090003 Method Ref: EPA 525.2</b>			<b>Revision: 2</b>		<b>Date: 1995</b>	
5580	BENZO(A)PYRENE	01/17/2022	01/16/2027	D	SBN	NE
6062	BIS (2-ETHYLHEXYL) ADIPATE	01/17/2022	01/16/2027	D	SBN	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

**NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM**

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

**PRIMARY ACCREDITATION ANALYTE LIST**

**ANALYTE LIST NUMBER: 224324-D**



**MICROBAC LABORATORIES INC (CT) #2243**

**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**

**860-774-6814**

**Lab ID: 2243**



6065	DI(2-ETHYLHEXYL) PHTHALATE (BIS(2-ETHYLHEXYL)PHTHALATE, DEHP)	01/17/2022	01/16/2027	D	SBN	NE
6275	HEXACHLOROBENZENE	01/17/2022	01/16/2027	D	SBN	NE
<b>Method Code: 10088401 Method Ref: EPA 515.3</b>			<b>Revision: 1</b>		<b>Date: 1996</b>	
8545	2,4-D	01/17/2022	01/16/2027	D	SHE	NE
8555	DALAPON	01/17/2022	01/16/2027	D	SHE	NE
8595	DICAMBA	01/17/2022	01/16/2027	D	SHE	NE
8620	DINOSEB (2-SEC-BUTYL-4,6-DINITROPHENOL DNBP)	01/17/2022	01/16/2027	D	SHE	NE
8645	PICLORAM	01/17/2022	01/16/2027	D	SHE	NE
8650	SILVEX (2,4,5-TP)	01/17/2022	01/16/2027	D	SHE	NE
<b>Method Code: 10092009 Method Ref: EPA 547</b>			<b>Revision:</b>		<b>Date: 1990</b>	
9411	GLYPHOSATE	01/17/2022	01/16/2027	D	SNO	NE
<b>Method Code: 10093400 Method Ref: EPA 549.2</b>			<b>Revision: 1</b>		<b>Date: 1997</b>	
9390	DIQUAT	01/17/2022	01/16/2027	D	SNO	NE
<b>Method Code: 10095804 Method Ref: EPA 552.2</b>			<b>Revision: 1</b>		<b>Date: 1995</b>	
9312	BROMOACETIC ACID	01/17/2022	01/16/2027	D	SNO	NE
9336	CHLOROACETIC ACID	01/17/2022	01/16/2027	D	SNO	NE
9357	DIBROMOACETIC ACID	01/17/2022	01/16/2027	D	SNO	NE
9360	DICHLOROACETIC ACID	01/17/2022	01/16/2027	D	SNO	NE
9642	TRICHLOROACETIC ACID (TCAA)	01/17/2022	01/16/2027	D	SNO	NE
<b>Method Code: 10083406 Method Ref: EPA 505</b>			<b>Revision: 2.1</b>		<b>Date: 1995</b>	
8880	AROCLOR-1016 (PCB-1016)	01/17/2022	01/16/2027	D	SPC	NE
8885	AROCLOR-1221 (PCB-1221)	01/17/2022	01/16/2027	D	SPC	NE
8890	AROCLOR-1232 (PCB-1232)	01/17/2022	01/16/2027	D	SPC	NE
8895	AROCLOR-1242 (PCB-1242)	01/17/2022	01/16/2027	D	SPC	NE
8900	AROCLOR-1248 (PCB-1248)	01/17/2022	01/16/2027	D	SPC	NE
8905	AROCLOR-1254 (PCB-1254)	01/17/2022	01/16/2027	D	SPC	NE
8910	AROCLOR-1260 (PCB-1260)	01/17/2022	01/16/2027	D	SPC	NE
<b>Method Code: 10083406 Method Ref: EPA 505</b>			<b>Revision: 2.1</b>		<b>Date: 1995</b>	
7005	ALACHLOR	01/17/2022	01/16/2027	D	SPE	NE
7025	ALDRIN	01/17/2022	01/16/2027	D	SPE	NE
7250	CHLORDANE (TECH.)	01/17/2022	01/16/2027	D	SPE	NE
7470	DIELDRIN	01/17/2022	01/16/2027	D	SPE	NE
7540	ENDRIN	01/17/2022	01/16/2027	D	SPE	NE
7120	GAMMA-BHC (LINDANE, GAMMA-HEXACHLOROCYCLOHEXANE)	01/17/2022	01/16/2027	D	SPE	NE
7685	HEPTACHLOR	01/17/2022	01/16/2027	D	SPE	NE
7690	HEPTACHLOR EPOXIDE	01/17/2022	01/16/2027	D	SPE	NE


This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

# NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

## PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 224324-D



**MICROBAC LABORATORIES INC (CT) #2243**

**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**

**860-774-6814**

**Lab ID: 2243**



6285	HEXACHLOROCYCLOPENTADIENE	01/17/2022	01/16/2027	D	SPE	NE
7810	METHOXYCHLOR	01/17/2022	01/16/2027	D	SPE	NE
8250	TOXAPHENE (CHLORINATED CAMPHENE)	01/17/2022	01/16/2027	D	SPE	NE
<b>Method Code: 10090003 Method Ref: EPA 525.2</b>			<b>Revision: 2</b>	<b>Date: 1995</b>		
7005	ALACHLOR	01/17/2022	01/16/2027	D	SPE	NE
7025	ALDRIN	01/17/2022	01/16/2027	D	SPE	NE
7065	ATRAZINE	01/17/2022	01/16/2027	D	SPE	NE
7160	BUTACHLOR	01/17/2022	01/16/2027	D	SPE	NE
7470	DIELDRIN	01/17/2022	01/16/2027	D	SPE	NE
7120	GAMMA-BHC (LINDANE, GAMMA-HEXACHLOROCYCLOHEXANE)	01/17/2022	01/16/2027	D	SPE	NE
7685	HEPTACHLOR	01/17/2022	01/16/2027	D	SPE	NE
7690	HEPTACHLOR EPOXIDE	01/17/2022	01/16/2027	D	SPE	NE
6285	HEXACHLOROCYCLOPENTADIENE	01/17/2022	01/16/2027	D	SPE	NE
7810	METHOXYCHLOR	01/17/2022	01/16/2027	D	SPE	NE
7835	METOLACHLOR	01/17/2022	01/16/2027	D	SPE	NE
7845	METRIBUZIN	01/17/2022	01/16/2027	D	SPE	NE
8045	PROPACHLOR	01/17/2022	01/16/2027	D	SPE	NE
8125	SIMAZINE	01/17/2022	01/16/2027	D	SPE	NE
<b>Method Code: 10091302 Method Ref: EPA 531.2</b>			<b>Revision: 1</b>	<b>Date: 2001</b>		
7710	3-HYDROXYCARBOFURAN	01/17/2022	01/16/2027	D	SPE	NE
7010	ALDICARB (TEMIK)	01/17/2022	01/16/2027	D	SPE	NE
7015	ALDICARB SULFONE	01/17/2022	01/16/2027	D	SPE	NE
7020	ALDICARB SULFOXIDE	01/17/2022	01/16/2027	D	SPE	NE
7195	CARBARYL (SEVIN)	01/17/2022	01/16/2027	D	SPE	NE
7205	CARBOFURAN (FURADEN)	01/17/2022	01/16/2027	D	SPE	NE
7805	METHOMYL (LANNATE)	01/17/2022	01/16/2027	D	SPE	NE
7940	OXAMYL	01/17/2022	01/16/2027	D	SPE	NE
<b>Method Code: 20210020 Method Ref: SM 9222 D-2015</b>			<b>Revision:</b>	<b>Date: 2015</b>		
2530	FECAL COLIFORMS	07/19/2022	01/16/2027	N	MIC	NE
<b>Method Code: 20211443 Method Ref: SM 9223 B (COLILERT® QUANTI-TRAY®)</b>			<b>Revision: 23RD ED</b>	<b>Date: 2016</b>		
2525	ESCHERICHIA COLI	07/19/2022	01/16/2027	N	MIC	NE
<b>Method Code: 60030208 Method Ref: ENTEROLERT</b>			<b>Revision:</b>	<b>Date: 1996</b>		
2520	ENTEROCOCCI	01/17/2022	01/16/2027	N	MIC	NE
<b>Method Code: 10013806 Method Ref: EPA 200.7</b>			<b>Revision: 4.4</b>	<b>Date: 1994</b>		
1000	ALUMINUM	01/17/2022	01/16/2027	N	MET	NE
1005	ANTIMONY	01/17/2022	01/16/2027	N	MET	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).



**NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM**

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

**PRIMARY ACCREDITATION ANALYTE LIST**

**ANALYTE LIST NUMBER: 224324-D**



**MICROBAC LABORATORIES INC (CT) #2243**

**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**

**860-774-6814**

**Lab ID: 2243**



1010	ARSENIC	01/17/2022	01/16/2027	N	MET	NE
1015	BARIUM	01/17/2022	01/16/2027	N	MET	NE
1020	BERYLLIUM	01/17/2022	01/16/2027	N	MET	NE
1025	BORON	01/17/2022	01/16/2027	N	MET	NE
1030	CADMIUM	01/17/2022	01/16/2027	N	MET	NE
1035	CALCIUM	01/17/2022	01/16/2027	N	MET	NE
1040	CHROMIUM	01/17/2022	01/16/2027	N	MET	NE
1050	COBALT	01/17/2022	01/16/2027	N	MET	NE
1055	COPPER	01/17/2022	01/16/2027	N	MET	NE
1070	IRON	01/17/2022	01/16/2027	N	MET	NE
1075	LEAD	01/17/2022	01/16/2027	N	MET	NE
1085	MAGNESIUM	01/17/2022	01/16/2027	N	MET	NE
1090	MANGANESE	01/17/2022	01/16/2027	N	MET	NE
1100	MOLYBDENUM	01/17/2022	01/16/2027	N	MET	NE
1105	NICKEL	01/17/2022	01/16/2027	N	MET	NE
1125	POTASSIUM	01/17/2022	01/16/2027	N	MET	NE
1140	SELENIUM	01/17/2022	01/16/2027	N	MET	NE
1150	SILVER	01/17/2022	01/16/2027	N	MET	NE
1155	SODIUM	01/17/2022	01/16/2027	N	MET	NE
1165	THALLIUM	01/17/2022	01/16/2027	N	MET	NE
1175	TIN	01/17/2022	01/16/2027	N	MET	NE
1180	TITANIUM	01/17/2022	01/16/2027	N	MET	NE
1185	VANADIUM	01/17/2022	01/16/2027	N	MET	NE
1190	ZINC	01/17/2022	01/16/2027	N	MET	NE

**Method Code: 10014605 Method Ref: EPA 200.8**

**Revision: 5.4**

**Date: 1994**

1000	ALUMINUM	01/17/2022	01/16/2027	N	MET	NE
1005	ANTIMONY	01/17/2022	01/16/2027	N	MET	NE
1010	ARSENIC	01/17/2022	01/16/2027	N	MET	NE
1015	BARIUM	01/17/2022	01/16/2027	N	MET	NE
1020	BERYLLIUM	01/17/2022	01/16/2027	N	MET	NE
1030	CADMIUM	01/17/2022	01/16/2027	N	MET	NE
1040	CHROMIUM	01/17/2022	01/16/2027	N	MET	NE
1050	COBALT	01/17/2022	01/16/2027	N	MET	NE
1055	COPPER	01/17/2022	01/16/2027	N	MET	NE
1075	LEAD	01/17/2022	01/16/2027	N	MET	NE
1090	MANGANESE	01/17/2022	01/16/2027	N	MET	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

**NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM**

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

**PRIMARY ACCREDITATION ANALYTE LIST**

**ANALYTE LIST NUMBER: 224324-D**



**MICROBAC LABORATORIES INC (CT) #2243**

**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**

**860-774-6814**

**Lab ID: 2243**



1100	MOLYBDENUM	01/17/2022	01/16/2027	N	MET	NE
1105	NICKEL	01/17/2022	01/16/2027	N	MET	NE
1140	SELENIUM	01/17/2022	01/16/2027	N	MET	NE
1150	SILVER	01/17/2022	01/16/2027	N	MET	NE
1160	STRONTIUM	01/17/2022	01/16/2027	N	MET	NE
1185	VANADIUM	01/17/2022	01/16/2027	N	MET	NE
1190	ZINC	01/17/2022	01/16/2027	N	MET	NE
<b>Method Code: 10036609 Method Ref: EPA 245.1</b>			<b>Revision: 3</b>		<b>Date: 1994</b>	
1095	MERCURY	01/17/2022	01/16/2027	N	MET	NE
<b>Method Code: 10155905 Method Ref: SW-846 6010C</b>			<b>Revision: UPDATE IV</b>		<b>Date: 2007</b>	
1000	ALUMINUM	01/17/2022	01/16/2027	N	MET	NE
1005	ANTIMONY	01/17/2022	01/16/2027	N	MET	NE
1010	ARSENIC	01/17/2022	01/16/2027	N	MET	NE
1015	BARIIUM	01/17/2022	01/16/2027	N	MET	NE
1020	BERYLLIUM	01/17/2022	01/16/2027	N	MET	NE
1025	BORON	01/17/2022	01/16/2027	N	MET	NE
1030	CADMIUM	01/17/2022	01/16/2027	N	MET	NE
1035	CALCIUM	01/17/2022	01/16/2027	N	MET	NE
1040	CHROMIUM	01/17/2022	01/16/2027	N	MET	NE
1050	COBALT	01/17/2022	01/16/2027	N	MET	NE
1055	COPPER	01/17/2022	01/16/2027	N	MET	NE
1070	IRON	01/17/2022	01/16/2027	N	MET	NE
1075	LEAD	01/17/2022	01/16/2027	N	MET	NE
1085	MAGNESIUM	01/17/2022	01/16/2027	N	MET	NE
1090	MANGANESE	01/17/2022	01/16/2027	N	MET	NE
1100	MOLYBDENUM	01/17/2022	01/16/2027	N	MET	NE
1105	NICKEL	01/17/2022	01/16/2027	N	MET	NE
1125	POTASSIUM	01/17/2022	01/16/2027	N	MET	NE
1140	SELENIUM	01/17/2022	01/16/2027	N	MET	NE
1150	SILVER	01/17/2022	01/16/2027	N	MET	NE
1155	SODIUM	01/17/2022	01/16/2027	N	MET	NE
1165	THALLIUM	01/17/2022	01/16/2027	N	MET	NE
1175	TIN	01/17/2022	01/16/2027	N	MET	NE
1180	TITANIUM	01/17/2022	01/16/2027	N	MET	NE
1185	VANADIUM	01/17/2022	01/16/2027	N	MET	NE
1190	ZINC	01/17/2022	01/16/2027	N	MET	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).



# NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

## PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 224324-D



**MICROBAC LABORATORIES INC (CT) #2243**  
**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**  
**860-774-6814**  
**Lab ID: 2243**



<b>Method Code: 10162400</b>	<b>Method Ref: SW-846 7196A</b>		<b>Revision: UPDATE I</b>	<b>Date: 1992</b>
1045	CHROMIUM (VI)	01/17/2022	01/16/2027	N MET NE
<b>Method Code: 10165807</b>	<b>Method Ref: SW-846 7470A</b>		<b>Revision: UPDATE II</b>	<b>Date: 1994</b>
1095	MERCURY	01/17/2022	01/16/2027	N MET NE
<b>Method Code: 20066266</b>	<b>Method Ref: SM 3500-CR B-2011</b>		<b>Revision:</b>	<b>Date: 2011</b>
1045	CHROMIUM (VI)	01/17/2022	01/16/2027	N MET NE
<b>Method Code: 10061402</b>	<b>Method Ref: EPA 335.4</b>		<b>Revision: 1.0</b>	<b>Date: 1993</b>
1645	TOTAL CYANIDE	01/17/2022	01/16/2027	N NMI NE
<b>Method Code: 10063602</b>	<b>Method Ref: EPA 350.1</b>		<b>Revision: 2</b>	<b>Date: 1993</b>
1515	AMMONIA AS N	01/17/2022	01/16/2027	N NMI NE
<b>Method Code: 10065404</b>	<b>Method Ref: EPA 351.2</b>		<b>Revision: 2</b>	<b>Date: 1993</b>
1795	TOTAL KJELDAHL NITROGEN (TKN)	01/17/2022	01/16/2027	N NMI NE
<b>Method Code: 10070005</b>	<b>Method Ref: EPA 365.1</b>		<b>Revision: 2</b>	<b>Date: 1993</b>
1870	ORTHOPHOSPHATE AS P	01/17/2022	01/16/2027	N NMI NE
1910	TOTAL PHOSPHORUS	01/17/2022	01/16/2027	N NMI NE
<b>Method Code: 10079400</b>	<b>Method Ref: EPA 420.1</b>		<b>Revision:</b>	<b>Date: 1978</b>
1905	TOTAL PHENOLICS	01/17/2022	01/16/2027	N NMI NE
<b>Method Code: 10261617</b>	<b>Method Ref: EPA 1664B</b>		<b>Revision:</b>	<b>Date: 2010</b>
1803	N-HEXANE EXTRACTABLE MATERIAL (O&G)	01/17/2022	01/16/2027	N NMI NE
<b>Method Code: 20045618</b>	<b>Method Ref: SM 2320 B-2011</b>		<b>Revision:</b>	<b>Date: 2011</b>
1505	ALKALINITY AS CaCO <sub>3</sub>	01/17/2022	01/16/2027	N NMI NE
<b>Method Code: 20046611</b>	<b>Method Ref: SM 2340 B-2011</b>		<b>Revision:</b>	<b>Date: 2011</b>
1755	TOTAL HARDNESS AS CaCO <sub>3</sub>	08/29/2022	01/16/2027	N NMI NE
<b>Method Code: 20048220</b>	<b>Method Ref: SM 2130 B-2011</b>		<b>Revision:</b>	<b>Date: 2011</b>
2055	TURBIDITY	01/17/2022	01/16/2027	N NMI NE
<b>Method Code: 20048617</b>	<b>Method Ref: SM 2510 B-2011</b>		<b>Revision:</b>	<b>Date: 2011</b>
1610	CONDUCTIVITY	07/19/2022	01/16/2027	N NMI NE
<b>Method Code: 20050435</b>	<b>Method Ref: SM 2540 C-2015</b>		<b>Revision:</b>	<b>Date: 2015</b>
1955	RESIDUE-FILTERABLE (TDS)	07/19/2022	01/16/2027	N NMI NE
<b>Method Code: 20051223</b>	<b>Method Ref: SM 2540 D-2015</b>		<b>Revision:</b>	<b>Date: 2015</b>
1960	RESIDUE-NONFILTERABLE (TSS)	07/19/2022	01/16/2027	N NMI NE
<b>Method Code: 20086811</b>	<b>Method Ref: SM 4500-CL<sup>-</sup> E-2011</b>		<b>Revision:</b>	<b>Date: 2011</b>
1575	CHLORIDE	01/17/2022	01/16/2027	N NMI NE
<b>Method Code: 20117684</b>	<b>Method Ref: SM 4500-NO<sub>3</sub><sup>-</sup> F-2016</b>		<b>Revision:</b>	<b>Date: 2016</b>
1810	NITRATE AS N	07/19/2022	01/16/2027	N NMI NE
1840	NITRITE AS N	07/19/2022	01/16/2027	N NMI NE
<b>Method Code: 20132461</b>	<b>Method Ref: SM 4500-SO<sub>4</sub> E-2011</b>		<b>Revision:</b>	<b>Date: 2011</b>
2000	SULFATE	01/17/2022	01/16/2027	N NMI NE
<b>Method Code: 20138812</b>	<b>Method Ref: SM 5310 C-2000</b>		<b>Revision:</b>	<b>Date: 2000</b>
2040	TOTAL ORGANIC CARBON (TOC)	11/07/2024	01/16/2027	N NMI NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

**NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM**

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

**PRIMARY ACCREDITATION ANALYTE LIST**

**ANALYTE LIST NUMBER: 224324-D**



**MICROBAC LABORATORIES INC (CT) #2243**  
**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**  
**860-774-6814**

**Lab ID: 2243**



Method Code:	Method Ref:	Revision:	Date:
<b>60003001</b>	<b>HACH 8000</b>		<b>1979</b>
1565	CHEMICAL OXYGEN DEMAND (COD)	01/17/2022	01/16/2027 N NMI NE
<b>10133605</b>	<b>SW-846 3010A</b>	<b>Revision: UPDATE I</b>	<b>Date: 1992</b>
1420	HOT PLATE ACID DIGESTION (HNO3 + HCL)	02/28/2022	01/16/2027 N PRE NE
<b>10138202</b>	<b>SW-846 3510C</b>	<b>Revision: UPDATE III</b>	<b>Date: 1996</b>
1444	SEPERATORY FUNNEL LIQUID-LIQUID EXTRACTION	02/28/2022	01/16/2027 N PRE NE
<b>10284603</b>	<b>SW-846 5030C</b>	<b>Revision:</b>	<b>Date: 2003</b>
1406	AQUEOUS-PHASE PURGE & TRAP	02/28/2022	01/16/2027 N PRE NE
<b>10186002</b>	<b>SW-846 8270D</b>	<b>Revision: UPDATE IV</b>	<b>Date: 2007</b>
5155	1,2,4-TRICHLOROBENZENE	01/17/2022	01/16/2027 N VOC NE
4610	1,2-DICHLOROBENZENE (O-DICHLOROBENZENE)	01/17/2022	01/16/2027 N VOC NE
4615	1,3-DICHLOROBENZENE (M-DICHLOROBENZNE)	01/17/2022	01/16/2027 N VOC NE
4620	1,4-DICHLOROBENZENE (P-DICHLOROBENZENE)	01/17/2022	01/16/2027 N VOC NE
4835	HEXACHLOROBUTADIENE	01/17/2022	01/16/2027 N VOC NE
4840	HEXACHLOROETHANE	01/17/2022	01/16/2027 N VOC NE
5005	NAPHTHALENE	01/17/2022	01/16/2027 N VOC NE
5015	NITROBENZENE	01/17/2022	01/16/2027 N VOC NE
5095	PYRIDINE	01/17/2022	01/16/2027 N VOC NE
<b>10298121</b>	<b>EPA 624.1</b>	<b>Revision:</b>	<b>Date: 2016</b>
5160	1,1,1-TRICHLOROETHANE	01/17/2022	01/16/2027 N VOC NE
5110	1,1,2,2-TETRACHLOROETHANE	01/17/2022	01/16/2027 N VOC NE
5165	1,1,2-TRICHLOROETHANE	01/17/2022	01/16/2027 N VOC NE
4630	1,1-DICHLOROETHANE	01/17/2022	01/16/2027 N VOC NE
4640	1,1-DICHLOROETHYLENE	01/17/2022	01/16/2027 N VOC NE
4610	1,2-DICHLOROBENZENE (O-DICHLOROBENZENE)	01/17/2022	01/16/2027 N VOC NE
4635	1,2-DICHLOROETHANE (ETHYLENE DICHLORIDE)	01/17/2022	01/16/2027 N VOC NE
4655	1,2-DICHLOROPROPANE	01/17/2022	01/16/2027 N VOC NE
4615	1,3-DICHLOROBENZENE (M-DICHLOROBENZNE)	01/17/2022	01/16/2027 N VOC NE
4620	1,4-DICHLOROBENZENE (P-DICHLOROBENZENE)	01/17/2022	01/16/2027 N VOC NE
4500	2-CHLOROETHYLVINYL ETHER	01/17/2022	01/16/2027 N VOC NE
4325	ACROLEIN (PROPENAL)	01/17/2022	01/16/2027 N VOC NE
4340	ACRYLONITRILE	01/17/2022	01/16/2027 N VOC NE
4375	BENZENE	01/17/2022	01/16/2027 N VOC NE
4395	BROMODICHLOROMETHANE	01/17/2022	01/16/2027 N VOC NE
4400	BROMOFORM	01/17/2022	01/16/2027 N VOC NE
4455	CARBON TETRACHLORIDE	01/17/2022	01/16/2027 N VOC NE
4475	CHLOROBENZENE	01/17/2022	01/16/2027 N VOC NE


This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

**NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM**

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

**PRIMARY ACCREDITATION ANALYTE LIST**

**ANALYTE LIST NUMBER: 224324-D**



**MICROBAC LABORATORIES INC (CT) #2243**

**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**

**860-774-6814**

**Lab ID: 2243**



4575	CHLORODIBROMOMETHANE	01/17/2022	01/16/2027	N	VOC	NE
4485	CHLOROETHANE (ETHYL CHLORIDE)	01/17/2022	01/16/2027	N	VOC	NE
4505	CHLOROFORM	01/17/2022	01/16/2027	N	VOC	NE
4645	CIS-1,2-DICHLOROETHYLENE	01/17/2022	01/16/2027	N	VOC	NE
4680	CIS-1,3-DICHLOROPROPENE	01/17/2022	01/16/2027	N	VOC	NE
4625	DICHLORODIFLUOROMETHANE (FREON-12)	01/17/2022	01/16/2027	N	VOC	NE
4765	ETHYLBENZENE	01/17/2022	01/16/2027	N	VOC	NE
5240	M+P-XYLENE	01/17/2022	01/16/2027	N	VOC	NE
4950	METHYL BROMIDE (BROMOMETHANE)	01/17/2022	01/16/2027	N	VOC	NE
4960	METHYL CHLORIDE (CHLOROMETHANE)	01/17/2022	01/16/2027	N	VOC	NE
4975	METHYLENE CHLORIDE (DICHLOROMETHANE)	01/17/2022	01/16/2027	N	VOC	NE
5250	O-XYLENE	01/17/2022	01/16/2027	N	VOC	NE
5100	STYRENE	01/17/2022	01/16/2027	N	VOC	NE
5115	TETRACHLOROETHYLENE (PERCHLOROETHYLENE)	01/17/2022	01/16/2027	N	VOC	NE
5140	TOLUENE	01/17/2022	01/16/2027	N	VOC	NE
4700	TRANS-1,2-DICHLOROETHYLENE	01/17/2022	01/16/2027	N	VOC	NE
4685	TRANS-1,3-DICHLOROPROPYLENE	01/17/2022	01/16/2027	N	VOC	NE
5170	TRICHLOROETHENE (TRICHLOROETHYLENE)	01/17/2022	01/16/2027	N	VOC	NE
5175	TRICHLOROFLUOROMETHANE (FLUOROTRICHLOROMETHANE, FREON 11)	01/17/2022	01/16/2027	N	VOC	NE
5235	VINYL CHLORIDE (CHLOROETHENE)	01/17/2022	01/16/2027	N	VOC	NE
5260	XYLENE (TOTAL)	01/17/2022	01/16/2027	N	VOC	NE

**Method Code: 10300024 Method Ref: EPA 625.1**

**Revision:**

**Date: 2016**

5155	1,2,4-TRICHLOROBENZENE	01/17/2022	01/16/2027	N	VOC	NE
4835	HEXACHLOROBUTADIENE	01/17/2022	01/16/2027	N	VOC	NE
4840	HEXACHLOROETHANE	01/17/2022	01/16/2027	N	VOC	NE
5005	NAPHTHALENE	01/17/2022	01/16/2027	N	VOC	NE
5015	NITROBENZENE	01/17/2022	01/16/2027	N	VOC	NE

**Method Code: 10307003 Method Ref: SW-846 8260C**

**Revision:**

**Date: 2006**

5160	1,1,1-TRICHLOROETHANE	01/17/2022	01/16/2027	N	VOC	NE
5110	1,1,2,2-TETRACHLOROETHANE	01/17/2022	01/16/2027	N	VOC	NE
5165	1,1,2-TRICHLOROETHANE	01/17/2022	01/16/2027	N	VOC	NE
4630	1,1-DICHLOROETHANE	01/17/2022	01/16/2027	N	VOC	NE
4640	1,1-DICHLOROETHYLENE	01/17/2022	01/16/2027	N	VOC	NE
4670	1,1-DICHLOROPROPENE	01/17/2022	01/16/2027	N	VOC	NE
5150	1,2,3-TRICHLOROBENZENE	01/17/2022	01/16/2027	N	VOC	NE
5180	1,2,3-TRICHLOROPROPANE	01/17/2022	01/16/2027	N	VOC	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

# NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

## PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 224324-D



**MICROBAC LABORATORIES INC (CT) #2243**

**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**

**860-774-6814**

**Lab ID: 2243**



5155	1,2,4-TRICHLOROBENZENE	01/17/2022	01/16/2027	N	VOC	NE
5210	1,2,4-TRIMETHYLBENZENE	01/17/2022	01/16/2027	N	VOC	NE
4570	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	01/17/2022	01/16/2027	N	VOC	NE
4585	1,2-DIBROMOETHANE (EDB, ETHYLENE DIBROMIDE)	01/17/2022	01/16/2027	N	VOC	NE
4610	1,2-DICHLOROBENZENE (O-DICHLOROBENZENE)	01/17/2022	01/16/2027	N	VOC	NE
4635	1,2-DICHLOROETHANE (ETHYLENE DICHLORIDE)	01/17/2022	01/16/2027	N	VOC	NE
4655	1,2-DICHLOROPROPANE	01/17/2022	01/16/2027	N	VOC	NE
5215	1,3,5-TRIMETHYLBENZENE	01/17/2022	01/16/2027	N	VOC	NE
4615	1,3-DICHLOROBENZENE (M-DICHLOROBENZNE)	01/17/2022	01/16/2027	N	VOC	NE
4660	1,3-DICHLOROPROPANE	01/17/2022	01/16/2027	N	VOC	NE
4620	1,4-DICHLOROBENZENE (P-DICHLOROBENZENE)	01/17/2022	01/16/2027	N	VOC	NE
4665	2,2-DICHLOROPROPANE	01/17/2022	01/16/2027	N	VOC	NE
4410	2-BUTANONE (METHYL ETHYL KETONE, MEK)	01/17/2022	01/16/2027	N	VOC	NE
4500	2-CHLOROETHYL VINYL ETHER	01/17/2022	01/16/2027	N	VOC	NE
4535	2-CHLOROTOLUENE	01/17/2022	01/16/2027	N	VOC	NE
4860	2-HEXANONE	01/17/2022	01/16/2027	N	VOC	NE
4540	4-CHLOROTOLUENE	01/17/2022	01/16/2027	N	VOC	NE
4910	4-ISOPROPYLTOLUENE (P-CYMENE)	01/17/2022	01/16/2027	N	VOC	NE
4995	4-METHYL-2-PENTANONE (MIBK)	01/17/2022	01/16/2027	N	VOC	NE
4315	ACETONE	01/17/2022	01/16/2027	N	VOC	NE
4325	ACROLEIN (PROPENAL)	01/17/2022	01/16/2027	N	VOC	NE
4340	ACRYLONITRILE	01/17/2022	01/16/2027	N	VOC	NE
4375	BENZENE	01/17/2022	01/16/2027	N	VOC	NE
4385	BROMOBENZENE	01/17/2022	01/16/2027	N	VOC	NE
4390	BROMOCHLOROMETHANE	01/17/2022	01/16/2027	N	VOC	NE
4395	BROMODICHLOROMETHANE	01/17/2022	01/16/2027	N	VOC	NE
4400	BROMOFORM	01/17/2022	01/16/2027	N	VOC	NE
4450	CARBON DISULFIDE	01/17/2022	01/16/2027	N	VOC	NE
4455	CARBON TETRACHLORIDE	01/17/2022	01/16/2027	N	VOC	NE
4475	CHLOROBENZENE	01/17/2022	01/16/2027	N	VOC	NE
4575	CHLORODIBROMOMETHANE	01/17/2022	01/16/2027	N	VOC	NE
4485	CHLOROETHANE (ETHYL CHLORIDE)	01/17/2022	01/16/2027	N	VOC	NE
4505	CHLOROFORM	01/17/2022	01/16/2027	N	VOC	NE
4645	CIS-1,2-DICHLOROETHYLENE	01/17/2022	01/16/2027	N	VOC	NE
4680	CIS-1,3-DICHLOROPROPENE	01/17/2022	01/16/2027	N	VOC	NE
9375	DI-ISOPROPYLETHER (DIPE)	01/17/2022	01/16/2027	N	VOC	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

# NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

## PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 224324-D



**MICROBAC LABORATORIES INC (CT) #2243**

**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**

**860-774-6814**

**Lab ID: 2243**



4625	DICHLORODIFLUOROMETHANE (FREON-12)	01/17/2022	01/16/2027	N	VOC	NE
4725	DIETHYL ETHER	01/17/2022	01/16/2027	N	VOC	NE
4770	ETHYL-T-BUTYLETHER (ETBE) (2-ETHOXY-2-METHYLPROPANE)	01/17/2022	01/16/2027	N	VOC	NE
4765	ETHYLBENZENE	01/17/2022	01/16/2027	N	VOC	NE
4835	HEXACHLOROBUTADIENE	01/17/2022	01/16/2027	N	VOC	NE
4870	IODOMETHANE (METHYL IODIDE)	01/17/2022	01/16/2027	N	VOC	NE
4900	ISOPROPYLBENZENE	01/17/2022	01/16/2027	N	VOC	NE
5240	M+P-XYLENE	01/17/2022	01/16/2027	N	VOC	NE
4925	METHACRYLONITRILE	01/17/2022	01/16/2027	N	VOC	NE
4950	METHYL BROMIDE (BROMOMETHANE)	01/17/2022	01/16/2027	N	VOC	NE
4960	METHYL CHLORIDE (CHLOROMETHANE)	01/17/2022	01/16/2027	N	VOC	NE
5000	METHYL TERT-BUTYL ETHER (MTBE)	01/17/2022	01/16/2027	N	VOC	NE
4975	METHYLENE CHLORIDE (DICHLOROMETHANE)	01/17/2022	01/16/2027	N	VOC	NE
4435	N-BUTYLBENZENE	01/17/2022	01/16/2027	N	VOC	NE
5090	N-PROPYLBENZENE	01/17/2022	01/16/2027	N	VOC	NE
5005	NAPHTHALENE	01/17/2022	01/16/2027	N	VOC	NE
5250	O-XYLENE	01/17/2022	01/16/2027	N	VOC	NE
4440	SEC-BUTYLBENZENE	01/17/2022	01/16/2027	N	VOC	NE
5100	STYRENE	01/17/2022	01/16/2027	N	VOC	NE
4370	TERT-AMYL METHYL ETHER (TAME)	01/17/2022	01/16/2027	N	VOC	NE
4420	TERT-BUTYL ALCOHOL (2-METHYL-2-PROPANOL)	01/17/2022	01/16/2027	N	VOC	NE
4445	TERT-BUTYLBENZENE	01/17/2022	01/16/2027	N	VOC	NE
5115	TETRACHLOROETHYLENE (PERCHLOROETHYLENE)	01/17/2022	01/16/2027	N	VOC	NE
5140	TOLUENE	01/17/2022	01/16/2027	N	VOC	NE
4700	TRANS-1,2-DICHLOROETHYLENE	01/17/2022	01/16/2027	N	VOC	NE
4685	TRANS-1,3-DICHLOROPROPYLENE	01/17/2022	01/16/2027	N	VOC	NE
4605	TRANS-1,4-DICHLORO-2-BUTENE	01/17/2022	01/16/2027	N	VOC	NE
5170	TRICHLOROETHENE (TRICHLOROETHYLENE)	01/17/2022	01/16/2027	N	VOC	NE
5175	TRICHLOROFLUOROMETHANE (FLUOROTRICHLOROMETHANE, FREON 11)	01/17/2022	01/16/2027	N	VOC	NE
5235	VINYL CHLORIDE (CHLOROETHENE)	01/17/2022	01/16/2027	N	VOC	NE
5260	XYLENE (TOTAL)	01/17/2022	01/16/2027	N	VOC	NE

**Method Code: 10186002    Method Ref: SW-846 8270D**

**Revision: UPDATE IV    Date: 2007**

6703	1,1'-BIPHENYL (BZ-0)	01/17/2022	01/16/2027	N	SBN	NE
4659	2,2'-OXYBIS(1-CHLOROPROPANE), BIS(2-CHLORO-1-METHYLETHYL)ETHER	01/17/2022	01/16/2027	N	SBN	NE
6735	2,3,4,6-TETRACHLOROPHENOL	01/17/2022	01/16/2027	N	SBN	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

# NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

## PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 224324-D



**MICROBAC LABORATORIES INC (CT) #2243**

**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**

**860-774-6814**

**Lab ID: 2243**



6835	2,4,5-TRICHLOROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
6840	2,4,6-TRICHLOROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
6000	2,4-DICHLOROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
6130	2,4-DIMETHYLPHENOL	01/17/2022	01/16/2027	N	SBN	NE
6175	2,4-DINITROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
6185	2,4-DINITROTOLUENE (2,4-DNT)	01/17/2022	01/16/2027	N	SBN	NE
6005	2,6-DICHLOROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
6190	2,6-DINITROTOLUENE (2,6-DNT)	01/17/2022	01/16/2027	N	SBN	NE
5795	2-CHLORONAPHTHALENE	01/17/2022	01/16/2027	N	SBN	NE
5800	2-CHLOROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
6360	2-METHYL-4,6-DINITROPHENOL (4,6-DINITRO-2-METHYLPHENOL)	01/17/2022	01/16/2027	N	SBN	NE
6385	2-METHYLNAPHTHALENE	01/17/2022	01/16/2027	N	SBN	NE
6400	2-METHYLPHENOL (O-CRESOL)	01/17/2022	01/16/2027	N	SBN	NE
6460	2-NITROANILINE	01/17/2022	01/16/2027	N	SBN	NE
6490	2-NITROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
5945	3,3'-DICHLOROENZIDINE	01/17/2022	01/16/2027	N	SBN	NE
6405	3-METHYLPHENOL (M-CRESOL)	01/17/2022	01/16/2027	N	SBN	NE
6465	3-NITROANILINE	01/17/2022	01/16/2027	N	SBN	NE
5660	4-BROMOPHENYL PHENYL ETHER (BDE-3)	01/17/2022	01/16/2027	N	SBN	NE
5700	4-CHLORO-3-METHYLPHENOL	01/17/2022	01/16/2027	N	SBN	NE
5745	4-CHLOROANILINE	01/17/2022	01/16/2027	N	SBN	NE
5825	4-CHLOROPHENYL PHENYLETHER	01/17/2022	01/16/2027	N	SBN	NE
6410	4-METHYLPHENOL (P-CRESOL)	01/17/2022	01/16/2027	N	SBN	NE
6470	4-NITROANILINE	01/17/2022	01/16/2027	N	SBN	NE
6500	4-NITROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
5500	ACENAPHTHENE	01/17/2022	01/16/2027	N	SBN	NE
5505	ACENAPHTHYLENE	01/17/2022	01/16/2027	N	SBN	NE
5545	ANILINE	01/17/2022	01/16/2027	N	SBN	NE
5555	ANTHRACENE	01/17/2022	01/16/2027	N	SBN	NE
5595	BENZIDINE	01/17/2022	01/16/2027	N	SBN	NE
5575	BENZO(A)ANTHRACENE	01/17/2022	01/16/2027	N	SBN	NE
5580	BENZO(A)PYRENE	01/17/2022	01/16/2027	N	SBN	NE
5585	BENZO(B)FLUORANTHENE	01/17/2022	01/16/2027	N	SBN	NE
5590	BENZO(G,H,I)PERYLENE	01/17/2022	01/16/2027	N	SBN	NE
5600	BENZO(K)FLUORANTHENE	01/17/2022	01/16/2027	N	SBN	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).



# NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

## PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 224324-D



**MICROBAC LABORATORIES INC (CT) #2243**

**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**

**860-774-6814**

**Lab ID: 2243**



5630	BENZYL ALCOHOL	01/17/2022	01/16/2027	N	SBN	NE
5760	BIS(2-CHLOROETHOXY)METHANE	01/17/2022	01/16/2027	N	SBN	NE
5765	BIS(2-CHLOROETHYL) ETHER	01/17/2022	01/16/2027	N	SBN	NE
5670	BUTYL BENZYL PHTHALATE	01/17/2022	01/16/2027	N	SBN	NE
5680	CARBAZOLE	01/17/2022	01/16/2027	N	SBN	NE
5855	CHRYSENE	01/17/2022	01/16/2027	N	SBN	NE
6065	DI(2-ETHYLHEXYL) PHTHALATE (BIS(2-ETHYLHEXYL)PHTHALATE, DEHP)	01/17/2022	01/16/2027	N	SBN	NE
5925	DI-N-BUTYL PHTHALATE	01/17/2022	01/16/2027	N	SBN	NE
6200	DI-N-OCTYL PHTHALATE	01/17/2022	01/16/2027	N	SBN	NE
5895	DIBENZO(A,H)ANTHRACENE	01/17/2022	01/16/2027	N	SBN	NE
5905	DIBENZOFURAN	01/17/2022	01/16/2027	N	SBN	NE
6070	DIETHYL PHTHALATE	01/17/2022	01/16/2027	N	SBN	NE
6135	DIMETHYL PHTHALATE	01/17/2022	01/16/2027	N	SBN	NE
6265	FLUORANTHENE	01/17/2022	01/16/2027	N	SBN	NE
6270	FLUORENE	01/17/2022	01/16/2027	N	SBN	NE
6275	HEXACHLOROBENZENE	01/17/2022	01/16/2027	N	SBN	NE
6315	INDENO(1,2,3-CD)PYRENE	01/17/2022	01/16/2027	N	SBN	NE
6320	ISOPHORONE	01/17/2022	01/16/2027	N	SBN	NE
6545	N-NITROSODI-N-PROPYLAMINE	01/17/2022	01/16/2027	N	SBN	NE
6530	N-NITROSODIMETHYLAMINE	01/17/2022	01/16/2027	N	SBN	NE
6535	N-NITROSODIPHENYLAMINE	01/17/2022	01/16/2027	N	SBN	NE
6605	PENTACHLOROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
6615	PHENANTHRENE	01/17/2022	01/16/2027	N	SBN	NE
6625	PHENOL	01/17/2022	01/16/2027	N	SBN	NE
6665	PYRENE	01/17/2022	01/16/2027	N	SBN	NE
5862	TOTAL CRESOLS	01/17/2022	01/16/2027	N	SBN	NE

**Method Code: 10300024      Method Ref: EPA 625.1**

**Revision:**

**Date: 2016**

4659	2,2'-OXYBIS(1-CHLOROPROPANE), BIS(2-CHLORO-1-METHYLETHYL)ETHER	01/17/2022	01/16/2027	N	SBN	NE
6840	2,4,6-TRICHLOROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
6000	2,4-DICHLOROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
6130	2,4-DIMETHYLPHENOL	01/17/2022	01/16/2027	N	SBN	NE
6175	2,4-DINITROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
6185	2,4-DINITROTOLUENE (2,4-DNT)	01/17/2022	01/16/2027	N	SBN	NE
6005	2,6-DICHLOROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
6190	2,6-DINITROTOLUENE (2,6-DNT)	01/17/2022	01/16/2027	N	SBN	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

# NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

## PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 224324-D



**MICROBAC LABORATORIES INC (CT) #2243**

**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**

**860-774-6814**

**Lab ID: 2243**



5795	2-CHLORONAPHTHALENE	01/17/2022	01/16/2027	N	SBN	NE
5800	2-CHLOROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
6360	2-METHYL-4,6-DINITROPHENOL (4,6-DINITRO-2-METHYLPHENOL)	01/17/2022	01/16/2027	N	SBN	NE
6400	2-METHYLPHENOL (O-CRESOL)	01/17/2022	01/16/2027	N	SBN	NE
6490	2-NITROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
5945	3,3'-DICHLOROENZIDINE	01/17/2022	01/16/2027	N	SBN	NE
5660	4-BROMOPHENYL PHENYL ETHER (BDE-3)	01/17/2022	01/16/2027	N	SBN	NE
5700	4-CHLORO-3-METHYLPHENOL	01/17/2022	01/16/2027	N	SBN	NE
5825	4-CHLOROPHENYL PHENYLETHER	01/17/2022	01/16/2027	N	SBN	NE
6410	4-METHYLPHENOL (P-CRESOL)	01/17/2022	01/16/2027	N	SBN	NE
6500	4-NITROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
5500	ACENAPHTHENE	01/17/2022	01/16/2027	N	SBN	NE
5505	ACENAPHTHYLENE	01/17/2022	01/16/2027	N	SBN	NE
5545	ANILINE	01/17/2022	01/16/2027	N	SBN	NE
5555	ANTHRACENE	01/17/2022	01/16/2027	N	SBN	NE
5595	BENZIDINE	01/17/2022	01/16/2027	N	SBN	NE
5575	BENZO(A)ANTHRACENE	01/17/2022	01/16/2027	N	SBN	NE
5580	BENZO(A)PYRENE	01/17/2022	01/16/2027	N	SBN	NE
5585	BENZO(B)FLUORANTHENE	01/17/2022	01/16/2027	N	SBN	NE
5590	BENZO(G,H,I)PERYLENE	01/17/2022	01/16/2027	N	SBN	NE
5600	BENZO(K)FLUORANTHENE	01/17/2022	01/16/2027	N	SBN	NE
5760	BIS(2-CHLOROETHOXY)METHANE	01/17/2022	01/16/2027	N	SBN	NE
5765	BIS(2-CHLOROETHYL) ETHER	01/17/2022	01/16/2027	N	SBN	NE
5670	BUTYL BENZYL PHTHALATE	01/17/2022	01/16/2027	N	SBN	NE
5680	CARBAZOLE	01/17/2022	01/16/2027	N	SBN	NE
5855	CHRYSENE	01/17/2022	01/16/2027	N	SBN	NE
6065	DI(2-ETHYLHEXYL) PHTHALATE (BIS(2-ETHYLHEXYL)PHTHALATE, DEHP)	01/17/2022	01/16/2027	N	SBN	NE
5925	DI-N-BUTYL PHTHALATE	01/17/2022	01/16/2027	N	SBN	NE
6200	DI-N-OCTYL PHTHALATE	01/17/2022	01/16/2027	N	SBN	NE
5895	DIBENZO(A,H)ANTHRACENE	01/17/2022	01/16/2027	N	SBN	NE
6070	DIETHYL PHTHALATE	01/17/2022	01/16/2027	N	SBN	NE
6135	DIMETHYL PHTHALATE	01/17/2022	01/16/2027	N	SBN	NE
6265	FLUORANTHENE	01/17/2022	01/16/2027	N	SBN	NE
6270	FLUORENE	01/17/2022	01/16/2027	N	SBN	NE


This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

**NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM**

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

**PRIMARY ACCREDITATION ANALYTE LIST**

**ANALYTE LIST NUMBER: 224324-D**



**MICROBAC LABORATORIES INC (CT) #2243**

**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**

**860-774-6814**

**Lab ID: 2243**



6275	HEXACHLOROBENZENE	01/17/2022	01/16/2027	N	SBN	NE
6315	INDENO(1,2,3-CD)PYRENE	01/17/2022	01/16/2027	N	SBN	NE
6320	ISOPHORONE	01/17/2022	01/16/2027	N	SBN	NE
6545	N-NITROSODI-N-PROPYLAMINE	01/17/2022	01/16/2027	N	SBN	NE
6530	N-NITROSODIMETHYLAMINE	01/17/2022	01/16/2027	N	SBN	NE
6535	N-NITROSODIPHENYLAMINE	01/17/2022	01/16/2027	N	SBN	NE
6605	PENTACHLOROPHENOL	01/17/2022	01/16/2027	N	SBN	NE
6615	PHENANTHRENE	01/17/2022	01/16/2027	N	SBN	NE
6625	PHENOL	01/17/2022	01/16/2027	N	SBN	NE
6665	PYRENE	01/17/2022	01/16/2027	N	SBN	NE

**Method Code: 10179358 Method Ref: SW-846 8082A**

**Revision: UPDATE IV Date: 2007**

8880	AROCLOR-1016 (PCB-1016)	03/08/2023	01/16/2027	N	SPC	NE
8885	AROCLOR-1221 (PCB-1221)	03/08/2023	01/16/2027	N	SPC	NE
8890	AROCLOR-1232 (PCB-1232)	03/08/2023	01/16/2027	N	SPC	NE
8895	AROCLOR-1242 (PCB-1242)	03/08/2023	01/16/2027	N	SPC	NE
8900	AROCLOR-1248 (PCB-1248)	03/08/2023	01/16/2027	N	SPC	NE
8905	AROCLOR-1254 (PCB-1254)	03/08/2023	01/16/2027	N	SPC	NE
8910	AROCLOR-1260 (PCB-1260)	03/08/2023	01/16/2027	N	SPC	NE

**Method Code: 10296614 Method Ref: EPA 608.3 GC-ECD**

**Revision: Date: 2016**

8880	AROCLOR-1016 (PCB-1016)	01/17/2022	01/16/2027	N	SPC	NE
8885	AROCLOR-1221 (PCB-1221)	01/17/2022	01/16/2027	N	SPC	NE
8890	AROCLOR-1232 (PCB-1232)	01/17/2022	01/16/2027	N	SPC	NE
8895	AROCLOR-1242 (PCB-1242)	01/17/2022	01/16/2027	N	SPC	NE
8900	AROCLOR-1248 (PCB-1248)	01/17/2022	01/16/2027	N	SPC	NE
8905	AROCLOR-1254 (PCB-1254)	01/17/2022	01/16/2027	N	SPC	NE
8910	AROCLOR-1260 (PCB-1260)	01/17/2022	01/16/2027	N	SPC	NE

**Method Code: 10178811 Method Ref: SW-846 8081B**

**Revision: UPDATE IV Date: 2007**

7355	4,4'-DDD	01/17/2022	01/16/2027	N	SPE	NE
7360	4,4'-DDE	01/17/2022	01/16/2027	N	SPE	NE
7365	4,4'-DDT	01/17/2022	01/16/2027	N	SPE	NE
7025	ALDRIN	01/17/2022	01/16/2027	N	SPE	NE
7110	ALPHA-BHC (ALPHA-HEXACHLOROCYCLOHEXANE)	01/17/2022	01/16/2027	N	SPE	NE
7115	BETA-BHC (BETA-HEXACHLOROCYCLOHEXANE)	01/17/2022	01/16/2027	N	SPE	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

# NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

## PRIMARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 224324-D



**MICROBAC LABORATORIES INC (CT) #2243**

**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**

**860-774-6814**

**Lab ID: 2243**



7250	CHLORDANE (TECH.)	01/17/2022	01/16/2027	N	SPE	NE
7105	DELTA-BHC	01/17/2022	01/16/2027	N	SPE	NE
7470	DIELDRIN	01/17/2022	01/16/2027	N	SPE	NE
7510	ENDOSULFAN I	01/17/2022	01/16/2027	N	SPE	NE
7515	ENDOSULFAN II	01/17/2022	01/16/2027	N	SPE	NE
7520	ENDOSULFAN SULFATE	01/17/2022	01/16/2027	N	SPE	NE
7540	ENDRIN	01/17/2022	01/16/2027	N	SPE	NE
7530	ENDRIN ALDEHYDE	01/17/2022	01/16/2027	N	SPE	NE
7535	ENDRIN KETONE	01/17/2022	01/16/2027	N	SPE	NE
7120	GAMMA-BHC (LINDANE, GAMMA- HEXACHLOROCYCLOHEXANE)	01/17/2022	01/16/2027	N	SPE	NE
7685	HEPTACHLOR	01/17/2022	01/16/2027	N	SPE	NE
7690	HEPTACHLOR EPOXIDE	01/17/2022	01/16/2027	N	SPE	NE
7810	METHOXYCHLOR	01/17/2022	01/16/2027	N	SPE	NE
8250	TOXAPHENE (CHLORINATED CAMPHENE)	01/17/2022	01/16/2027	N	SPE	NE
<b>Method Code: 10186002    Method Ref: SW-846 8270D</b>			<b>Revision: UPDATE IV</b>		<b>Date: 2007</b>	
6285	HEXACHLOROCYCLOPENTADIENE	01/17/2022	01/16/2027	N	SPE	NE
<b>Method Code: 10296614    Method Ref: EPA 608.3 GC-ECD</b>			<b>Revision:</b>		<b>Date: 2016</b>	
7355	4,4'-DDD	01/17/2022	01/16/2027	N	SPE	NE
7360	4,4'-DDE	01/17/2022	01/16/2027	N	SPE	NE
7365	4,4'-DDT	01/17/2022	01/16/2027	N	SPE	NE
7025	ALDRIN	01/17/2022	01/16/2027	N	SPE	NE
7110	ALPHA-BHC (ALPHA-HEXACHLOROCYCLOHEXANE)	01/17/2022	01/16/2027	N	SPE	NE
7115	BETA-BHC (BETA-HEXACHLOROCYCLOHEXANE)	01/17/2022	01/16/2027	N	SPE	NE
7250	CHLORDANE (TECH.)	01/17/2022	01/16/2027	N	SPE	NE
7105	DELTA-BHC	01/17/2022	01/16/2027	N	SPE	NE
7470	DIELDRIN	01/17/2022	01/16/2027	N	SPE	NE
7510	ENDOSULFAN I	01/17/2022	01/16/2027	N	SPE	NE
7515	ENDOSULFAN II	01/17/2022	01/16/2027	N	SPE	NE
7520	ENDOSULFAN SULFATE	01/17/2022	01/16/2027	N	SPE	NE
7540	ENDRIN	01/17/2022	01/16/2027	N	SPE	NE
7530	ENDRIN ALDEHYDE	01/17/2022	01/16/2027	N	SPE	NE
7120	GAMMA-BHC (LINDANE, GAMMA- HEXACHLOROCYCLOHEXANE)	01/17/2022	01/16/2027	N	SPE	NE
7685	HEPTACHLOR	01/17/2022	01/16/2027	N	SPE	NE
7690	HEPTACHLOR EPOXIDE	01/17/2022	01/16/2027	N	SPE	NE
8250	TOXAPHENE (CHLORINATED CAMPHENE)	01/17/2022	01/16/2027	N	SPE	NE

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

**NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM**

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

**PRIMARY ACCREDITATION ANALYTE LIST**

**ANALYTE LIST NUMBER: 224324-D**



**MICROBAC LABORATORIES INC (CT) #2243**  
**61 LOUISA VIENS DR**

**DAYVILLE CT 06241**  
**860-774-6814**  
**Lab ID: 2243**



Method Code:	Method Ref:	Revision:	Date:
6285	HEXACHLOROCYCLOPENTADIENE	01/17/2022	01/16/2027
			N SPE NE

*Bill Hall*  
**MICROBAC 1/17/2025**  
 Bill Hall  
 NH ELAP Program Manager  
 Issue Date: 01/17/2025

Matrix Legend: AE=Air; BT=Tissue; D=Drinking Water; N=Non-Potable Water; SC=Solid and Chemical Materials

Category Legend: MIC=Microbiology; MET=Metals; NMI=Non-Metal Inorganics; PRE=Preparation; VOC=Volatile Organic Compounds; SBN=SVOC-BNA; SHE=SVOC-Herbicides; SNO=SVOC-NOS; SPC=SVOC-PCB; SPE=SVOC-Pesticides; RAD=Radiochemistry; WET=Wet, PFC=Perfluorinated compound

Accreditation Legend: NE=NELAP; NH=NH State Certification; CE=State Certification; IN=Interim (NELAP); WI=Withdrawn; AP=Applied; RE=Revoked; SU=Suspended

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).