

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025
Issued April 01, 2024
Revised August 01, 2024

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. ERICA KOZEN
MICROBAC LABORATORIES, INC. - PITTSBURGH
100 MARSHALL DRIVE
WARRENDALE, PA 15086-7554

NY Lab Id No: 10121

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:*

Bacteriology

Coliform, Total / E. coli (Qualitative)	SM 20, 21-23 9223B (-04) (Colilert)
E. coli (Enumeration)	SM 20, 21-23 9223B (-04) (Colilert)
Heterotrophic Plate Count	SM 20, 21-23 9215B (-04)

Metals I

Arsenic, Total	EPA 200.8 Rev. 5.4
Barium, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Cadmium, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Chromium, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Copper, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Iron, Total	EPA 200.7 Rev. 4.4
Lead, Total	EPA 200.8 Rev. 5.4
Manganese, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Mercury, Total	EPA 200.8 Rev. 5.4
Selenium, Total	EPA 200.8 Rev. 5.4
Silver, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Zinc, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4

Metals II

Aluminum, Total	EPA 200.7 Rev. 4.4
Antimony, Total	EPA 200.8 Rev. 5.4

Serial No.: 69498

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025
Issued April 01, 2024
Revised August 01, 2024

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. ERICA KOZEN
MICROBAC LABORATORIES, INC. - PITTSBURGH
100 MARSHALL DRIVE
WARRENDALE, PA 15086-7554

NY Lab Id No: 10121

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:*

Metals II

Beryllium, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Molybdenum, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Nickel, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Thallium, Total	EPA 200.8 Rev. 5.4
Vanadium, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4

Metals III

Boron, Total	EPA 200.7 Rev. 4.4
Calcium, Total	EPA 200.7 Rev. 4.4
Magnesium, Total	EPA 200.7 Rev. 4.4
Potassium, Total	EPA 200.7 Rev. 4.4
Sodium, Total	EPA 200.7 Rev. 4.4

Miscellaneous

Organic Carbon, Dissolved	SM 21-23 5310C (-00)
Organic Carbon, Total	SM 21-23 5310C (-00)
Turbidity	EPA 180.1 Rev. 2.0
UV 254	SM 21-23 5910B (-00,-11)

Non-Metals

Alkalinity	SM 21-23 2320B (-97)
Chloride	EPA 300.0 Rev. 2.1
Color	SM 21-23 2120B (-01)
Fluoride, Total	EPA 300.0 Rev. 2.1
Nitrate (as N)	EPA 300.0 Rev. 2.1

Serial No.: 69498

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025
Issued April 01, 2024
Revised August 01, 2024

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

*MS. ERICA KOZEN
MICROBAC LABORATORIES, INC. - PITTSBURGH
100 MARSHALL DRIVE
WARRENDALE, PA 15086-7554*

NY Lab Id No: 10121

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:*

Non-Metals

Nitrite (as N)	EPA 300.0 Rev. 2.1
Orthophosphate (as P)	EPA 300.0 Rev. 2.1
Solids, Total Dissolved	SM 21-23 2540C (-97)
Specific Conductance	SM 21-23 2510B (-97)
Sulfate (as SO4)	EPA 300.0 Rev. 2.1



Serial No.: 69498

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025
Issued April 01, 2024
Revised August 01, 2024

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. ERICA KOZEN
MICROBAC LABORATORIES, INC. - PITTSBURGH
100 MARSHALL DRIVE
WARRENDALE, PA 15086-7554

NY Lab Id No: 10121

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Bacteriology

Coliform, Fecal	Colilert-18
E. coli (Enumeration)	SM 9223B-2016
Heterotrophic Plate Count	SM 18-21 9215B

Demand

Biochemical Oxygen Demand	SM 5210B-2016
Carbonaceous BOD	SM 5210B-2016
Chemical Oxygen Demand	Hach 8000 (1979)

Metals I

Barium, Total	EPA 200.7, Rev. 4.4 (1994)
	EPA 6010D
Cadmium, Total	EPA 200.8, Rev. 5.4 (1994)
	EPA 200.7, Rev. 4.4 (1994)
Calcium, Total	EPA 6010D
	EPA 200.8, Rev. 5.4 (1994)
Chromium, Total	EPA 200.7, Rev. 4.4 (1994)
	EPA 6010D
Copper, Total	EPA 200.8, Rev. 5.4 (1994)
	EPA 200.7, Rev. 4.4 (1994)
Iron, Total	EPA 6010D
	EPA 200.8, Rev. 5.4 (1994)
Lead, Total	EPA 200.7, Rev. 4.4 (1994)
	EPA 6010D

Serial No.: 69499

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025
Issued April 01, 2024
Revised August 01, 2024

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. ERICA KOZEN
MICROBAC LABORATORIES, INC. - PITTSBURGH
100 MARSHALL DRIVE
WARRENDALE, PA 15086-7554

NY Lab Id No: 10121

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Metals I

Lead, Total	EPA 200.8, Rev. 5.4 (1994)
Magnesium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010D
Manganese, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010D
Nickel, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010D
Potassium, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010D
Silver, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010D
Sodium, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010D
Strontium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010D

Metals II

Aluminum, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010D
Antimony, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010D
Arsenic, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010D EPA 200.8, Rev. 5.4 (1994)

Serial No.: 69499

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025
Issued April 01, 2024
Revised August 01, 2024

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. ERICA KOZEN
MICROBAC LABORATORIES, INC. - PITTSBURGH
100 MARSHALL DRIVE
WARRENDALE, PA 15086-7554

NY Lab Id No: 10121

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Metals II

Beryllium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010D
Chromium VI	EPA 200.8, Rev. 5.4 (1994) EPA 7196A SM 3500-Cr B-2011
Selenium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010D
Vanadium, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010D
Zinc, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010D EPA 200.8, Rev. 5.4 (1994)

Metals III

Cobalt, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010D
Molybdenum, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010D
Thallium, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994)
Tin, Total	EPA 200.8, Rev. 5.4 (1994) EPA 200.7, Rev. 4.4 (1994) EPA 6010D
Titanium, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010D

Serial No.: 69499

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025
Issued April 01, 2024
Revised August 01, 2024

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. ERICA KOZEN
MICROBAC LABORATORIES, INC. - PITTSBURGH
100 MARSHALL DRIVE
WARRENDALE, PA 15086-7554

NY Lab Id No: 10121

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Mineral

Acidity	SM 2310B-2011
Alkalinity	SM 2320B-2011
Chloride	EPA 300.0, Rev. 2.1 (1993)
Fluoride, Total	EPA 300.0, Rev. 2.1 (1993)
Sulfate (as SO ₄)	EPA 300.0, Rev. 2.1 (1993)

Miscellaneous

Boron, Total	EPA 200.7, Rev. 4.4 (1994) EPA 6010D
Bromide	EPA 300.0, Rev. 2.1 (1993)
Color	SM 2120B-2011
non-Polar Extractable Material (TPH)	EPA 1664A
Oil and Grease Total Recoverable	EPA 1664A
Organic Carbon, Total	SM 5310C-2014
Silica, Dissolved	EPA 200.7, Rev. 4.4 (1994) EPA 6010D
Specific Conductance	SM 2510B-2011
Turbidity	EPA 180.1, Rev. 2.0 (1993)

Nutrient

Ammonia (as N)	SM 4500-NH ₃ F-2011
Kjeldahl Nitrogen, Total	SM 4500-NH ₃ F-2011
Nitrate (as N)	EPA 300.0, Rev. 2.1 (1993)
Nitrite (as N)	EPA 300.0, Rev. 2.1 (1993)
Orthophosphate (as P)	EPA 300.0, Rev. 2.1 (1993)
Phosphorus, Total	SM 4500-P E-2011

Residue

Settleable Solids	SM 2540 F-2015
-------------------	----------------

Serial No.: 69499

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025
Issued April 01, 2024
Revised August 01, 2024

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. ERICA KOZEN
MICROBAC LABORATORIES, INC. - PITTSBURGH
100 MARSHALL DRIVE
WARRENDALE, PA 15086-7554

NY Lab Id No: 10121

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES NON POTABLE WATER
All approved analytes are listed below:*

Residue

Solids, Total	SM 2540 B-2015
Solids, Total Dissolved	SM 2540 C-2015
Solids, Total Suspended	SM 2540 D-2015
Solids, Volatile	EPA 160.4 (Issued 1971) SM 2540 E-2015

Sample Preparation Methods

SM 4500-P B(5)-2011
EPA 3010A
SM 4500-NH3 B-2011
SM 4500-N Org B-2011 or C-2011



Serial No.: 69499

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025
Issued April 01, 2024
Revised August 01, 2024

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. ERICA KOZEN
MICROBAC LABORATORIES, INC. - PITTSBURGH
100 MARSHALL DRIVE
WARRENDALE, PA 15086-7554

NY Lab Id No: 10121

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Characteristic Testing

Corrosivity (pH) EPA 9045D

Metals I

Barium, Total EPA 6010D
Cadmium, Total EPA 6010D
Calcium, Total EPA 6010D
Chromium, Total EPA 6010D
Copper, Total EPA 6010D
Iron, Total EPA 6010D
Lead, Total EPA 6010D
Magnesium, Total EPA 6010D
Manganese, Total EPA 6010D
Nickel, Total EPA 6010D
Potassium, Total EPA 6010D
Silver, Total EPA 6010D
Sodium, Total EPA 6010D

Metals II

Aluminum, Total EPA 6010D
Antimony, Total EPA 6010D
Beryllium, Total EPA 6010D
Vanadium, Total EPA 6010D
Zinc, Total EPA 6010D

Metals III

Cobalt, Total EPA 6010D
Molybdenum, Total EPA 6010D
Thallium, Total EPA 6010D
Tin, Total EPA 6010D

Serial No.: 69500

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.



NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER



Expires 12:01 AM April 01, 2025
Issued April 01, 2024
Revised August 01, 2024

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE

Issued in accordance with and pursuant to section 502 Public Health Law of New York State

*MS. ERICA KOZEN
MICROBAC LABORATORIES, INC. - PITTSBURGH
100 MARSHALL DRIVE
WARRENDALE, PA 15086-7554*

NY Lab Id No: 10121

*is hereby APPROVED as an Environmental Laboratory in conformance with the
National Environmental Laboratory Accreditation Conference Standards (2016) for the category
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE
All approved analytes are listed below:*

Sample Preparation Methods

EPA 3010A
EPA 3050B



Serial No.: 69500

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to elap@health.ny.gov.

